



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3707$ $y=0.3717$ / $u'=0.2207$ $v'=0.4979$
Tc=4243K Dominant WL:Ld=577.7nm Purity=22.8% Centroid WL:566.0nm
Ratio:R=18.9% G=77.2% B=3.9% Peak WL:Lp=450.0nm HWL:30.0nm
Render Index:Ra=82.8
R1 =81 R2 =90 R3 =95 R4 =80 R5 =81 R6 =85 R7 =86
R8 =64 R9 =8 R10=76 R11=77 R12=60 R13=84 R14=98 R15=75

Photo Parameters:

Flux: 1539.6 lm Fe: 4.7670 W Efficacy:106.7 lm/W
LEVEL: WHITE:OUT

Electrical Parameters:

Luminaire: U=220.5V I=0.07080A P=14.43W PF=0.9245

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=30991 (G=4,D=53)
REF=8466 (R=3) %=-0.144% PMT: 32.3 centigrade [30.9]

Product Type:L06G
Number:L06G1540T600-1443528R8
Temperature:25.3 deg
Test Operator:QC
Software:V2.00.100

Manufacturer:ERVAN
Test Department:ERVAN
Humidity:65.0%
Test Date:QC
Instrument:PMS-80_V1 (SN:1004010)