



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3183$ $y=0.3278$ $u'=0.2022$ $v'=0.4685$
Tc=6214K Dominant WL:Ld=486.9nm Purity=5.5% Centroid WL:543.0nm
Ratio:R=15.7% G=78.7% B=5.6% Peak WL:Lp=455.0nm HWL:29.1nm
Render Index:Ra=86.1
R1 =86 R2 =92 R3 =94 R4 =84 R5 =85 R6 =86 R7 =88
R8 =73 R9 =24 R10=79 R11=83 R12=62 R13=88 R14=97 R15=82

Photo Parameters:

Flux: 1540.0 lm Fe: 5.1249 W Efficacy:109.3 lm/W
LEVEL: WHITE:OUT

Electrical Parameters:

Luminaire: U=220.0V I=0.07029A P=14.09W PF=0.9112 L05G

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=49845 (G=4,D=52)
REF=8394 (R=3) %=0.036% PMT: 29.2 centigrade [29.3]

Product Type:L06G
Number:L06G1565T600-1443528R8
Temperature:25.3 deg
Test Operator:QC
Software:V2.00.100

Manufacturer:ERVAN
Test Department:ERVAN
Humidity:65.0%
Test Date:QC
Instrument:PMS-80_V1 (SN:1004010)