



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3172$ $y=0.3251$ $u'=0.2025$ $v'=0.4669$
Tc=6287K Dominant WL:Ld=484.8nm Purity=6.1% Centroid WL:543.0nm
Ratio:R=15.7% G=78.6% B=5.6% Peak WL:Lp=450.0nm HWL:28.5nm
Render Index:Ra=86.6
R1 =86 R2 =92 R3 =93 R4 =85 R5 =86 R6 =86 R7 =89
R8 =75 R9 =28 R10=80 R11=84 R12=62 R13=89 R14=97 R15=84

Photo Parameters:

Flux: 1730.8 lm Fe: 5.8035 W Efficacy:105.4 lm/W
LEVEL: WHITE:OUT

Electrical Parameters:

Luminaire: U=220.1V I=0.07970A P=16.42W PF=0.9362 L05G

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=57358 (G=4,D=52)
REF=9420 (R=3) %=0.086% PMT: 28.9 centigrade [29.3]

Product Type:L06G
Number:L06G1765T900-1683528R8
Temperature:25.3 deg
Test Operator:QC
Software:V2.00.100

Manufacturer:ERVAN
Test Department:ERVAN
Humidity:65.0%
Test Date:QC
Instrument:PMS-80_V1 (SN:1004010)