



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3418$ $y=0.2578$ / $u'=0.2527$ $v'=0.4289$
Tc=4523K Dominant WL:Ld=610.2nm Purity=22.8% Centroid WL:571.0nm
Ratio:R=25.1% G=70.1% B=4.8% Peak WL:Lp=450.0nm HWL:21.2nm
Render Index:Ra=86.0
R1 =87 R2 =86 R3 =89 R4 =83 R5 =87 R6 =77 R7 =84
R8 =94 R9 =83 R10=82 R11=71 R12=67 R13=85 R14=91 R15=77

Photo Parameters:

Flux: 1383.3 lm Fe: 5.8006 W Efficacy:68.73 lm/W
LEVEL: WHITE:OUT

Electrical Parameters:

Luminaire: U=220.5V I=0.09524A P=20.13W PF=0.9585

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=17111 (G=3,D=52)
REF=7684 (R=3) %=-0.132% PMT: 32.4 centigrade [31.2]

Product Type:L06G-R
Number:L06G-R2040T1200-2163528R8
Temperature:25.3 deg
Test Operator:QC
Software:V2.00.100

Manufacturer:ERVAN
Test Department:ERVAN
Humidity:65.0%
Test Date:QC
Instrument:PMS-80_V1 (SN:1004010)