



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3688$ $y=0.3678$ $u'=0.2209$ $v'=0.4959$
Tc=4272K Dominant WL:Ld=578.4nm Purity=21.0% Centroid WL:566.0nm
Ratio:R=19.0% G=77.2% B=3.8% Peak WL:Lp=450.0nm HWL:27.7nm
Render Index:Ra=83.3
R1 =82 R2 =91 R3 =95 R4 =80 R5 =81 R6 =85 R7 =86
R8 =66 R9 =11 R10=76 R11=78 R12=61 R13=84 R14=98 R15=77

Photo Parameters:

Flux: 1625.5 lm Fe: 5.0698 W Efficacy:98.87 lm/W
LEVEL: WHITE:OUT

Electrical Parameters:

Luminaire: U=220.2V I=0.08031A P=16.44W PF=0.9295

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=33206(G=4,D=53)
REF=8932(R=3) %=-0.057% PMT: 30.8 centigrade [29.9]

Product Type:L06G-V
Number:L06G-V1740K900-1683528R8
Temperature:25.3 deg
Test Operator:QC
Software:V2.00.100

Manufacturer:ERVAN
Test Department:ERVAN
Humidity:65.0%
Test Date:QC
Instrument:PMS-80_V1 (SN:1004010)