



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3167$ $y=0.3216$ $u'=0.2035$ $v'=0.4649$
Tc=6336K Dominant WL:Ld=482.0nm Purity=6.6% Centroid WL:542.0nm
Ratio:R=15.9% G=78.4% B=5.7% Peak WL:Lp=450.0nm HWL:28.3nm
Render Index:Ra=87.1
R1 =87 R2 =93 R3 =93 R4 =86 R5 =87 R6 =86 R7 =89
R8 =76 R9 =31 R10=81 R11=85 R12=63 R13=90 R14=97 R15=85

Photo Parameters:

Flux: 3174.4 lm Fe: 10.702 W Efficacy:111.4 lm/W
LEVEL: WHITE:OUT

Electrical Parameters:

Luminaire: U=220.2V I=0.1316A P=28.50W PF=0.9833

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0]
REF=17189(R=3) %=0.234%

Ip=23131(G=3,D=52)
PMT: 30.8 centigrade [30.2]

Product Type:L06G-V
Number:L06G-V3065T1500-3363528R8
Temperature:25.3 deg
Test Operator:QC
Software:V2.00.100

Manufacturer:ERVAN
Test Department:ERVAN
Humidity:65.0%
Test Date:QC
Instrument:PMS-80_V1 (SN:1004010)