

Compact LED High Bay Manual



Matters needing attention

- Before installing the lighting fixtures, please read this instruction manual carefully.
- The lighting fixtures should be installed, connected and tested by a certified installer based on the local regulations.
- Lamps should always be installed or replaced with care.
- Please check the local voltage in accordance with the product requirements before using the product.
- Relamping only can be done when the power is off and the lamp is completely cooled down.
- When a lamp is to be cleaned, make the power off and let it cool down completely. Clean the fixture with a soft cloth and a standard PH neutral detergent. Stainless steel finishing should be maintained regularly.
- Misuse of, or changes to the fixture shall nullify the guarantee.
- Don't cover the fixtures with flammable materials.
- Exclusively replaced by the manufacturer or his service agent or the similar qualified person in order to avoid a hazard.

Temperature Characteristics T-ambient 25°C

Temperature


- Operating -30~+50℃
- Storage -40~+85℃

Electrical Characteristics

Input Voltage:

- US:AC100-277V 50/60Hz
- EU:AC220-240V 50/60Hz
- PF:≥0.93 THD<20%
- Power Efficiency:≥0.90


1.Product Dimension




Size A(mm)	Size B(mm)
380	206

2.Installation


A.Suspending




A : Make a right position and screw hole



B: Hook mounted




C. Connect the wire by junction box after power-off.




D: Adjust the position of the fixture and clean it.


B.Ceiling Mounted




A : Install the setscrews



B: Put the lamp card into the setscrews and lock it tightly



C. Connect the power cable.



D: Adjust the lamp angle and clean it.


■ Please Note: All the operations must be in the condition of power off

■  The luminaires are intended for indoor use or under shelter for outdoor use.



Loop

One package one piece



Sway arm

One package one piece



Chain

One package one piece

Standard accessories

Optional accessories